

P O BOX 30396 LILONGWE 3

REQUEST FOR QUOTATIONS (FOR WORKS)

	TOWNS TO MAKE THE COME DO TO 124/MAINTENANCE/CIVIC OFFICES
	0:
W(he Procuring Entity named above invites you to submit your quotation for carrying out the orks as described herein. Any resulting order shall be subject to the Government of Malawi eneral Conditions of Contract for Local Purchase Orders (available on request) except here modified by this Request for Quotations.
SI	ECTION A: QUOTATION REQUIREMENTS
	Description of Works and Location
M (L	AINTENANCE OF CIVIC OFFICES UNDER LOCAL GENERATED REVENUE GR) FOR 2024/2025 FINANCIAL YEAR
2)	Works are to commence by one day from the date of order.
3)	Works to be completed by: Sixty (60) days from the date of order.
	Quotations must be valid for Ninety (90) days from the date for receipt given below.
5)	
6)	Quotations must be received, in sealed envelopes no later than: 14:00 Hrs on Friday, 1st Novembner, 2024.
	Quotations must be returned to:
	The Principal Procurement Officer, Lilongwe City Council, Civic Offices, Room No. 114,
	City Centre, Box 30396, Lilongwe 3.
7)	The attached Activity Schedule (for lump sum contracts) or Schedule of Rates and Prices (for contracts where payment is based on unit prices) {delete as appropriate} at Section C details the works to be performed. You are requested to quote by completing Sections B and C. Quotations shall cover all costs of labour, materials, equipment, overheads, profits and all associated costs for performing the works including all taxes and duties. The whole cost of performing the works shall be included in the items stated and the cost of any incidental works shall be deemed to be included in the prices quoted.
3)	Quotations that are responsive, qualified and technically compliant will be ranked according to price. Award of contract will be made to the lowest priced quotation by the issue of a Local Purchase Order.
Sig	ned:Date:
Vai	me: Andrew Ngalande Title/Position: Principal Procurement Officer

For and on behalf of the Procuring Entity

Procurement Number: LCC/IPDC/10/24/MAINTENANCE/CIVIC OFFICES

Your quotation is to be returned on this Form by completing and returning Sections B and C including any other information and certification as stated within this RFQ.

SECTION B: QUOTATION SUBMISSION SHEET

- 1) Currency of Quotation: Malawi Kwacha
- 2) Works will commence withindays/weeks/months from date of Purchase Order.
- 3) Works will be completed bydays/weeks/months from date of Purchase Order
- 4) Validity period of this quotation isdays from the date for receipt of Quotations.
- 5) We attach the following documents:
 - (i) Section C of the Request for Quotations completed and signed;
 - (ii) A copy of our Trading Licence
 - (iii) A copy of our Annual Tax Clearance Certificate for 2024/2025 Financial year.
 - (iv) A list of recent Government contracts performed
 - (v) Valid National Construction Industry Council Certificate for 2024/2025 Financial Year in Hundred (200) Million Building category or above
 - (vi) Experience in Three Similar project works as a prime contractor within the past 3 years backed up by completion certificate.
 - (vii) Proof of Financial resources to carry out the works; access to bank credit of MK50 Million within the past 5 months
 - (viii) Average annual turnover of MK 100 Million for the past 3 years
 - (ix) **Personnel**, Site Agent with a degree in Civil Engineering; 3 years Experience or Diploma in Civil Engineering; Five (5) years experience and Foreman with a Certificate in Construction Technology or Level 1 foremanship offered by NCIC or similar with 5 years experience
 - (x) No bad record or non-compliance with Lilongwe City Council or Government Offices (Is a must)
 - (xi) Rate Analysis development.
 - (xii) Proposed program of works
 - (xiii) Proposed equipment to be used (Scaffolds, Concrete Mixer, Poker Vibrator, Flat Lorry)
- 6) We confirm that our quotation is subject to the terms and conditions stated in your Request for Quotations referenced above, and that any resulting contract will be subject to the Government of Malawi General Conditions of Contract for Local Purchase Orders.
- 7) We confirm that the prices quoted are fixed and firm for the duration of the validity period and will not be subject to revision or variation.

Quotation Authorisation:						
Date:						
Title/Position:						
Company name and seal):						

Procurement Number: LCC/IPDC/10/24/MAINTENANCE/CIVIC OFFICES							
Registered Address:							
If any additional documentation is attached to your quotation, a signature and authorisation at Section B and Section C is still required as confirmation that the terms and conditions of this RFQ prevail over any attachments. If the Quotation is not authorised in Section B and Section C, the quotation may be rejected.							

Procurement Number: LCC/IPDC/10/24/MAINTENANCE/CIVIC OFFICES

SECTION C: ACTIVITY SCHEDULE (TO BE PRICED BY BIDDER)

For Lump Sum Contracts					
Item No.	Descrip	tion of Activity	Price in Kwacha		
1	Maintenance of Civic Offices				

	Policy Control of the				
***************************************		Total Lump Price	o Sum		
The fo	llowing attachments are appended ach attachment e.g. drawings and	to clarify the Description of A	Activity: ns]		
Autho	rised By:				
Signati	ıre;	Name:			
Positio	n:	Date:			
Author	ised for and on behalf of:	(DD/MM/YY)		
Compa	nv:				

Procurement Number: LCC/IPDC/10/24/MAINTENANCE/CIVIC OFFICES

SECTION C: SCHEDULE OF RATES AND PRICES (TO BE PRICED BY BIDDER)

Item No.	Description of Activity	Unit	Estimated QTY	Rate/Price in Mw Kwacha	Amount (Kwacha)
	Maintenance of Civic Offices	Each	1		
					, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	GRAND TOTAL				

The following attachments are appended to clarify the Description of Activity: [List each attachment e.g. drawings and detailed technical specifications] The following attachments are appended to clarify the Description of Activity: [List each attachment e.g. drawings and detailed technical specifications]

Authorised By:			
Signature:	Name:		***************************************
Position:	Date:		
Authorised for and on behalf of:		(DD/MM/YY)	
Company:			

ltem	Substructure (All Provisional)	QTY	Unit	Rate	K	Т
ltem H	PAINTING AND DECORATING Two coats wall guard black bituminous paint Dulux/Plascon Paints Reference 164-0770; or equal and approved Rendered walls over 300mm girth	QTY 140	M ²	Rate	K	T
	Substructure Total To Summary				-	

Substructure

Page 2 CIVIC

ltem	Roof	QTY	Unit	Rate	K	T
	ROOF All angles are grade 43 type 335 to Bs5950. Gusset plates strength is 460 N/mm2 bolts and fasteners are type 8.6 as specified in BS 5950 N.B the					
	Contractor is to revise the design prior to even buying the materials and get the approval from the engineer in charge (24 guage) "Chromadek", IBR profile prefinished steel					
	cladding, laid with one flute side laps and 300mm minimum end laps, fixed to metal purlins with and including 75mm long drive screws (purlins generally at 2673 mm centres) and side laps with 6 x 25 mm sheet bolts at 600mm centres. All fixings complete with bitumen and flat galvanised steel washers					
-	Cladding	45	m2			<u></u>
	PAINTING AND DECORATING					NAME OF THE PROPERTY OF THE PR
	Prepare, knot, stop, prime and apply two coat of weather guard paint					
	Roof	1200	m2			uu.

		}	#
Roof Total To Summary			
Roof			

	OLVIO OLI BOLO MAINI LIVANCE							
Item	Doors and Windows	QTY	Unit	Rate	К	Т		
	Glazing							
	Clear Polished Sheet Glass							
A	6mm Glass fixed to metal with mastic putty in panes	60	M ²			_		
	PAINTING AND DECORATING			THE PROPERTY OF THE PROPERTY O	***************************************			
	Prepare, prime and apply one undercoat and two finishing coats of full gloss enamel on				ALLEAN AND THE PROPERTY OF THE			
В	Metal Window frames	5	M2	To the state of th		-		
С	Metal Door Frames 100 - 200mm girth	74	M1			-		
D	Ditto 200 - 300mm girth	55	M1			w•		
E	Steel door	5	M2			-		
	Prepare, knot, prime and stop and apply one undercoat and two finishing coats of full gloss enamel on		VALL - INTERPRETATION OF THE PROPERTY OF THE P					
F	Timber flush doors	82	M2			_		
	Prepare and apply two coats of clear varnish to							
G	Hardwood panel doors	55	M ²					
н	Wooden Window frames	85	M ²			-		
ı	Wooden door frames	45	M^2					
	Doors and Windows Total To Summary		A CONTRACTOR OF THE CONTRACTOR		···			
	Doors and Windows							

ltem	Ironmongery	QTY	Unit	Rate	К	Т
	IRONMONGERY					
	SUPPLY AND FIX			44444	*****	
	Unless otherwise stated fixing is to timber <u>Doors</u>		A Printer Market			:
Α	Narrow Stile Cylinder doorset and furniture to be approved	5	No			-
В	"Union CZ682 - 24 - 52 CH" 3 lever rebated lock set and furniture set to be approved	40	No		***************************************	-
С	Toilet latch locks	15	No	THE PROPERTY OF THE PROPERTY O		-
волого подаваний в						

				and the second s		

-		***************************************		asperance address		

Ironmongery Total To Summary	7
Ironmongery	ᅦ

Page 7 CIVIC

Item	Wall Finishes	QTY	Unit	Rate	K	Т
	PAINTING AND DECORATING			· · · · · · · · · · · · · · · · · · ·		
	Prepare and apply two coats of styrene acrylic emulsion coloured sealer on					
Ε	Rendered walls	532	M ²			-
F	Ditto in narrow widths	12	M ²			-
	Prepare and apply one water thinned coat and two finishing coats of external quality washable paint or equal approved on					
G	Rendered walls (PROVISIONAL)	1200	M ²			-
н	Ditto in narrow widths	10	M ²			-
	TILER (PROVISIONAL)			and the state of t		
	3 x 400 x 300mm glazed cushion edged tiles (to project managapproval), adhesive fixed and pointed with white cement to rendered walls on top of sinks	ger's 125	M ²			
	PAINTING AND DECORATING	120	141			-
	Prepare and apply one water thinned coat and two finishing coats of internal quality washable paint or equal approved on					
С	Plastered walls	2600	M ²			<u></u>
				- Control Cont		
			**************************************	***************************************		
-						

Wall finishes Total To Summary	
Wall finishes	*

Page 9 CIVIC

<u> </u>	CIVIC OFFICES MAINTENANCE						
Item	Floor Finishes	QTY	Unit	Rate	К	Т	
	FLOOR FINISHES						
	Beds and Backing						
	(1:3) Cement and sand screed finished with a wood trowel		THE STATE OF THE S				
Α	25mm Thick to concrete slab to receive tiles	35	M ²			-	
	Floor tiles(PROVISIONAL)						
	Double layer first grade Ceramic tiles, white (Non-Slip); laid at bedding in cement mortar (1:4) and grouting and pointing with white cement putty; internal	 random; 					
	400 x 300mm x 8mm; 2mm joints; to floors; to cement and sand base						
В	over 300mm wide	150	M ²				
С	shower floor Mosaic tiles						
	(to architect's approval), adhesive fixed and pointed with grey cement to rendered walls		M ²		To the state of th		
ŀ	Double layer first grade Porcelain tiles, white (Non-Slip); laid at bedding in cement mortar (1:4) and grouting and pointing with white cement putty; internal	random;					
	600 x 600 x 8mm; 2mm joints; to floors; to sement and sand base						
D	over 300mm wide		M ²	:			
-	SKIRTINGS						
	5mm skirtings; to blockwork base						
	50mm wide; fair edge junction with wall						
	Porcelain tiles (Matte Finish),	117	m ¹	A A A A A A A A A A A A A A A A A A A		-	
F [Ditto, ceramic tiles		m ¹				
				Auto-in-frightype			

		1	
Floor finishes Total To Summary			
Floor finishes			

Page 11 CIVIC

			7			
Item	Ceiling Finishes	QTY	Unit	Rate	К	Т
	CARPENTRY					
	<u>Framing</u>					
	Unless otherwise stated, all timber shall be treated softwood				, , , , , , , , , , , , , , , , , , ,	
Α	50 x 50mm brandering	120	M¹			<u>.</u>
В	Fixed to wall	54	M ¹			
	JOINERY	į				
	Panelling					
	6mm thick 'Nulite' ceiling board, fixed with clout nails to timber brandering, fix joints with two layers of rhino tape and apply 5mm thick rhino skim finish	300	M ²			-
	Cornice					
D	75 x 75mm polysterene cornice	and the second s	M^1			-
	PAINTING AND DECORATING					
:	Prepare and apply one thinned coat and two finishing coats of internal quality ceiling white paint on		-			
E	Nulite ceilings rhino skim finished	300	M ²			_
1	Prepare and apply coats of gloss enamel on					
F	75 x 75mm polysterene cornice	- Indiana	M ¹			
		-				
		· · · · · · · · · · · · · · · · · · ·				
		A Constitution of the Cons				
				A. are manufacture and the second an		
				Province		
#						

 Ceiling finishes Total To Summary		
Ceiling finishes		

Page 13 CIVIC

Item	· · ·	Unit	Qty	Rate	K	Т
	(ALL PROVISIONAL) JOINERY Allow a provisional sum of Mk 2,000,000.00 (Two Million Kwacha) for additional joinery fittings		Q I	Ale		
	JOINERY FITTINGS - TOTAL CARRIED TO SUMMARY			К		

Page 14

ltem	Sanitary Fittings	QTY	Unit	Rate	к	Т
	<u>Fittings</u>					
A	Vaal AFSAN combined WC Pan - 750100 WC suite, Vaal Sanitaryware vitreous china "Afsan" low level 90degrees outle washdow pan and matching Habiscus side inlet low level cistern code (7105SL) complete with lid, fitment, pipe flush, B2 thermoset (DPE code 8517Z020) and cover		No			-
В	Vaal HIBISCUS Basin-702303 Vaal sanitaryware vitreous china 510 x 405mm rounded "Hibiscus" basin with three semi tapholes, integranted overflow,and chainstayhole through the centres semi punched taphone Wall mounted brackets 8448z0	3	No			_
	530 x 910mm Long, 18/8 stainless steel FRANKIE. bench top, double bowl, double drainer, complete with 38mm diameter chromium plated grated waste outlet, plug, chain and stay. Set up on and fix to timber bench				VALIDATION OF THE PROPERTY OF	
	with brackets measured separately	3	No			-
D			No			***
	150 x 150mm white glazed vitreous china recessed toilet roll holder, set in and including 50mm deep recess in brick/concrete wall	25	No			_
F	Urinal Master flush	6	No			~
G	Bottom entry ball valve as speficied by engineer	6	No			
н	Urinal bowls	6	No			
	600 x 20mm Diameter chromium plated towel rail fixed with standard brackets to rendered walls.		No			
-	Гарs and Valves			***************************************		
F	Prices shall include for joining to pipework					
J	12mm Diameter ECCP bib tap	6	No			
K 1	2mm Diameter ECCP kitchen sink mixer	3	No			-
		1		And the second s		

Sanitary Fittings Total To Summar	/	1	-
Sanitary fittings			
	<u> </u>	<u> </u>	

Page 16 CIVIC

ltem	Soil, Waste and Vent Services (All provisional)	QTY	Unit	Rate	K	Ŧ
						3
	SOIL, WASTE AND VENT SERVICES (Provisional)					
	This section has been measured from fittings up to gully or first manhole		** The state of th			
	Pipe work and fittings	C. Language				
	Soil systems shall be "Key Terrain 100" PVC to BS 4514					
	Waste systems shall be "Key Terrain 200" UPVC			TRANSPORTED TO THE PART OF THE		
	Diameters stated are outside sizes in accordance to manufacturers metric catalogues.	**************************************				
	Generally joints are solvent welded			Tomos of the state	***************************************	
	Fixing to walls, slabs etc. shall be with standard pipe clips, plugged and screwed					
A	40mm Diameter pipe, fixed to brick/concrete walls	40	M ¹			•••
В	50mm Diameter pipe laid in trench	40	M ¹			MA-
С	Ditto fixed to brick/concrete walls		M ¹			
D	110mm Diameter pipe laid in trench	The state of the s	M ¹			
E	Extra over pipework for 201.50.92 sweep bend	5	No			
F	Ditto for 202.40.92 sweep access bend	5	No			-
G	Ditto for 215.40.125 trap outlet adaptor	5	No			
Н	Ditto for 215.50.15 trap outlet adaptor	5	No	,		
ı	Ditto, 50mm plain bend	5	No			-
J	Ditto, 50mm access bend	5	No			-
]	PVC gullies			and the state of t		-
li	'Key Terrain" gully trap, comprising 1849.4 "P" trap, 1844.25 gully piece and 1841.8 grating. Set up including for excavation, concrete bed, support and connect to pipes	2	No			-

Soil, waste and vent services Total To Summary	-		
Soil, Waste and vent services			
		1	

Page 18 CIVIC

Item	Engineering Services(All provisional)	QTY	Unit	Rate	К	T
	AIR CONDITIONING					
	Overall services of internal and external units for air conditioners					
А	12,000 BTU	15	No		,	**
В	18,000 BTU	5	No			-
				The state of the s		
***************************************				The state of the s		

		- Commission of the Commission				
NA						
				vori — military vori		
		A CONTRACTOR OF THE CONTRACTOR) de la constante de la consta			

Enginnering services Total to summary		<u> </u>
Engineering services		
	 <u> </u>	

Page 20

ltem	Summary	QTY	Unit	Rate	К	t
	SUMMARY	PAGE				
А	SUBSTRUCTURE					-
В	ROOF					-
С	EXTERNAL AND INTERNAL WALLS			4-4-4-4-4-4-4-4-4-4-4-4-4-4-4-4-4-4-4-		
D	WINDOWS AND DOORS			Worming to the state of the sta		-
E	IRONMONGERY			THE STATE OF THE S		-
F	WALL FINISHES				Account to	_
G	FLOOR FINISHES	Acceptance of the control of the con				_
Н	CEILING FINISHES				-	-
#	JOINERY FITTINGS				menoral department of the control of	-
j	SANITARY FITTINGS					-
к	SOIL, WASTE AND VENT SERVICES	A CANADA				_
L	ENGINEERING SERVICES					-
	SUB TOTAL A					-
	CONTINGENCY					
	ADD: For physical or price contingency to be used expended or deducted at the descretion of the Architect / Supervising Officer		15%	of A		
	SUB TOTAL B					_
	Value Added Tax	VAT	16.50%	of B		_
	NCIC LEVY	LEVY	1%	of B		-
	PPDA LEVY	LEVY	1%	of B		-
	TOTAL CARRIED TO FORM OF TENDER					-