



THE DIGITAL MALAWI ACCELERATION PROJECT (DMAP)

GRANT NUMBER: IDA-E338 MW

PROJECT NUMBER: P505095

ADVERTISEMENT

REF. No.: PPPC/DMAP/PPE-DC-12-2025-09

Request for Quotations

**SUPPLY AND DELIVERY OF BRANDED PERSONAL PROTECTIVE
EQUIPMENT (PPE) AND WORKING TOOLS FOR THE NATIONAL DATA
CENTRE IN LILONGWE.**

December 2025

SECTION A – REQUEST FOR QUOTATIONS



To:

Date: 17th December, 2025

The Procuring and Disposing Entity named above invites you to submit your quotation for the supply and delivery of goods described herein. Partial Quotations may be rejected, and the Purchaser reserves the right to award a contract for selected items only. Any resulting order shall be subject to the Government of Malawi General Conditions of Contract for Local Purchase Orders (available on request) except where modified by this Request for Quotations.

SECTION A: QUOTATION REQUIREMENTS:

- 1) **Description of Supply and Delivery: Branded Personal Protective Equipment and Working Tools for the National Data Centre** as described in Section C

Quotation prices should be based on : for goods supplied from within Malawi; **DAP** – insured and delivered to **National Data Centre, located at City Centre in Lilongwe** for goods supplied from outside of Malawi; **DDP to Lilongwe**.

- 2) The delivery period required is within **Two weeks** from date of order.
- 3) Quotations must be valid for **sixty (60)** days from the date for receipt given below.
- 4) The warranty/guarantee offered shall be: **Six (6) months**.
- 5) Quotations and supporting documents as specified in Section B must be marked with the Procurement Number given above and indicate your acceptance of the terms and conditions.
- 6) Quotations must be received, in sealed envelopes, no later than: 15:00 hours Local Time on **9th January, 2026**.

- 7) Quotations must be returned to:

The Chairman
Internal Procurement and Disposal Committee
The Public Private Partnership Commission
P.O. Box 937
BLANTYRE

Tel: +265 1 823 655


Website: www.pppc.mw

- 8) The attached Schedule of Requirements at Section C, details the items to be purchased. You are requested to quote your delivered price for these items by completing and returning Sections B and C.
- 9) Quotations that are responsive, qualified and technically compliant will be ranked according to price. Award of contract will be made to the lowest priced quotation by item or by total through the issue of a Local Purchase Order.

11) The personnel of the Purchaser and the Service Providers should adhere to the highest ethical standards, both during the selection process and throughout the execution of the contract. In pursuance of this principle, they should abstain at all times from corruption or fraudulent practices. Corruption and fraudulent practices are defined as follows:

- (i) "Corrupt practice" means the offering, giving, receiving, or soliciting, directly or indirectly, of anything of value to influence the action of a public official in the selection process or in contract execution;
- (ii) "Fraudulent practice" means a misrepresentation or omission of facts in order to influence a selection process or the execution of a contract;
- (iii) "Collusive practices" means a scheme or arrangement between two or more suppliers with or without the knowledge of the Borrower, designed to establish prices at artificial, noncompetitive levels;
- (iv) Adherence to World Bank Anti-Corruption guidelines (Attachment to Section A)

12) The Purchaser will reject a proposal for award if it determines that the Service Provider recommended for award has, directly or through an agent, engaged in corrupt, fraudulent, collusive or coercive practices in competing for the contract in question

Signed:  Title/Position: Senior Procurement Specialist
For and on behalf of the Purchaser

Your quotation is to be returned on this Form by completing and returning Sections B and C including any other information and certification as stated within this RFQ.

Attachment to Section A – Fraud and Corruption

(Attachment to Section A shall not be modified)

1. Purpose

- 1.1 The Bank's Anti-Corruption Guidelines and this annex apply with respect to procurement under Bank Investment Project Financing operations.

2. Requirements

- 2.1 The Bank requires that Borrowers (including beneficiaries of Bank financing); bidders, consultants, contractors and suppliers; any sub-contractors, sub-consultants, service providers or suppliers; any agents (whether declared or not); and any of their personnel, observe the highest standard of ethics during the procurement process, selection and contract execution of Bank-financed contracts, and refrain from Fraud and Corruption.

- 2.2 To this end, the Bank:

- a. Defines, for the purposes of this provision, the terms set forth below as follows:
 - i. "corrupt practice" is the offering, giving, receiving, or soliciting, directly or indirectly, of anything of value to influence improperly the actions of another party;
 - ii. "fraudulent practice" is any act or omission, including misrepresentation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain financial or other benefit or to avoid an obligation;
 - iii. "collusive practice" is an arrangement between two or more parties designed to achieve an improper purpose, including to influence improperly the actions of another party;
 - iv. "coercive practice" is impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the party to influence improperly the actions of a party;
 - v. "obstructive practice" is:
 - (a) deliberately destroying, falsifying, altering, or concealing of evidence material to the investigation or making false statements to investigators in order to materially impede a Bank investigation into allegations of a corrupt, fraudulent, coercive, or collusive practice; and/or threatening, harassing, or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the investigation or from pursuing the investigation; or
 - (b) acts intended to materially impede the exercise of the Bank's inspection and audit rights provided for under paragraph 2.2 e. below.

- b. Rejects a proposal for award if the Bank determines that the firm or individual recommended for award, any of its personnel, or its agents, or its sub-consultants, sub-contractors, service providers, suppliers and/ or their employees, has, directly or indirectly, engaged in corrupt, fraudulent, collusive, coercive, or obstructive practices in competing for the contract in question;
- c. In addition to the legal remedies set out in the relevant Legal Agreement, may take other appropriate actions, including declaring misprocurement, if the Bank determines at any time that representatives of the Borrower or of a recipient of any part of the proceeds of the loan engaged in corrupt, fraudulent, collusive, coercive, or obstructive practices during the procurement process, selection and/or execution of the contract in question, without the Borrower having taken timely and appropriate action satisfactory to the Bank to address such practices when they occur, including by failing to inform the Bank in a timely manner at the time they knew of the practices;
- d. Pursuant to the Bank's Anti- Corruption Guidelines, and in accordance with the Bank's prevailing sanctions policies and procedures, may sanction a firm or individual, either indefinitely or for a stated period of time, including by publicly declaring such firm or individual ineligible (i) to be awarded or otherwise benefit from a Bank-financed contract, financially or in any other manner;¹ (ii) to be a nominated² sub-contractor, consultant, manufacturer or supplier, or service provider of an otherwise eligible firm being awarded a Bank-financed contract; and (iii) to receive the proceeds of any loan made by the Bank or otherwise to participate further in the preparation or implementation of any Bank-financed project;
- e. Requires that a clause be included in bidding/request for proposals documents and in contracts financed by a Bank loan, requiring (i) bidders, consultants, contractors, and suppliers, and their sub-contractors, sub-consultants, service providers, suppliers, agents personnel, permit the Bank to inspect³ all accounts, records and other documents relating to the submission of bcontract performance, and to have them audited by auditors appointed by the Bank.

¹ For the avoidance of doubt, a sanctioned party's ineligibility to be awarded a contract shall include, without limitation, (i) applying for pre-qualification, expressing interest in a consultancy, and bidding, either directly or as a nominated sub-contractor, nominated consultant, nominated manufacturer or supplier, or nominated service provider, in respect of such contract, and (ii) entering into an addendum or amendment introducing a material modification to any existing contract.

² A nominated sub-contractor, nominated consultant, nominated manufacturer or supplier, or nominated service provider (different names are used depending on the particular bidding document) is one which has been: (i) included by the bidder in its pre-qualification application or bid because it brings specific and critical experience and know-how that allow the bidder to meet the qualification requirements for the particular bid; or (ii) appointed by the Borrower.

³ Inspections in this context usually are investigative (i.e., forensic) in nature. They involve fact-finding activities undertaken by the Bank or persons appointed by the Bank to address specific matters related to investigations/audits, such as evaluating the veracity of an allegation of possible Fraud and Corruption, through the appropriate mechanisms. Such activity includes but is not limited to: accessing and examining a firm's or individual's financial records and information, and making copies thereof as relevant; accessing and examining any other documents, data and information (whether in hard copy or electronic format) deemed relevant for the investigation/audit, and making copies thereof as relevant; interviewing staff and other relevant individuals; performing physical inspections and site visits; and obtaining third party verification of information.

SECTION B: QUOTATION SUBMISSION SHEET

- 1) Currency of Quotation: Malawi Kwacha
- 2) Delivery period offered: days/weeks/months from date of Purchase Order.
- 3) The validity period of this Quotation is: days from the date for receipt of Quotations.
- 4) Warranty period (where applicable): Months.
- 5) We attach the following documents:
 - i. Section C of the Request for Quotations completed and signed;
 - ii. A copy of our Trading Licence,
 - iii. A copy of our Annual Tax Clearance Certificate (for the **2023-2024 Financial Year**),
 - iv. A list of any **Two (2) recent contracts performed in branding materials**,
 - v. Must be registered with PPDA. Evidence required: Valid PPDA registration Certificate.
- 6) We confirm that our quotation is based on the terms and conditions stated in your Request for Quotations referenced above, and that any resulting contract will be subject to the Government of Malawi General Conditions of Contract for Local Purchase Orders.
- 7) We confirm that the prices quoted are fixed and firm for the duration of the validity period and will not be subject to revision or variation.

Authorised By:

Signature: _____ Name: _____

Position: _____ Date: _____
(DD/MM/YY)

Authorised for and on behalf of:

Company: _____

Address:

.....

If any additional documentation is attached to your quotation, a signature and authorisation at Section B and Section C is still required as confirmation that the terms and conditions of this RFQ prevail over any attachments. If the Quotation is not authorised in Section B and Section C, the quotation may be rejected.

SECTION C: SCHEDULE OF REQUIREMENTS (TO BE PRICED BY BIDDER)

Item No	Description of Goods (Attach detailed specification if necessary)	Unit of Measure	Quantity	Delivered Unit Price <i>Kwacha</i>	Delivered Total Price <i>Kwacha</i>
1	Reflective Vest	Each	85		
2	Flame-resistant Clothing	Each	03		
3	Gloves	pair	03		
4	Phillips and Flathead Screwdrivers	Each	02		
5	Precision Screwdrivers	Each	02		
6	Nut Drivers	Each	02		
7	Allen (Hex) Wrenches	Each	01		
8	Needle-Nose Pliers	Pair	02		
9	Wire Strippers	Each	02		
10	Crimping Tool	Each	01		
11	Punch Down Tool	Each	01		
12	Label Maker	Each	01		
13	Cable Testers (RJ45/RJ11)	Each	02		
14	Loopback Plugs	Each	02		
15	Digital Multimeter	Each	01		
16	Power Outlet Tester	Each	01		
17	USB to Serial/RS232 Adapters	Each	02		
18	USB Boot/Diagnostic Toolkits	Each	02		
19	Crash Cart for Data Centre	Each	01		
20	Velcro Cable Straps	Each	50		

21	Zip Ties & Tie Gun	Each	100		
22	Cage Nut Tool	Each	01		
23	Compressed Air Canisters	Each	02		
24	Microfiber Cloths	Each	05		
25	ESD Wrist Strap	Each	06		
26	Cut-resistant Gloves	Each	02		
27	Tool Bag with Compartments	Each	01		
28	Mechanical Toolbox (preferably Gedore)	Each	01		
29	Insulated screwdriver set, including neon tester	Each	01		
30	Digital Multimeter	Each	01		
31	AC and DC Clamp Meter	Each	01		
32	Dust blower	Each	01		
33	Heavy duty adjustable wrench and hammer	Each	01		
34	Heavy duty crimping tool set	Each	01		
35	Battery tester	Each	01		
36	Grounding tester	Each	01		
37	Insulation tape box	Each	01		
38	First aid box and kit	Each	01		
39	Office waste bins	Each	09		
40	Heavy Duty Pad Locks	Each	06		
41	Padded Chain Locks	Each	02		
42	A4 Picture Frame	Each	01		

43	Door Mats	Each	03		
				Sub Total	
				VAT 16.5%	
				1% PPDA Levy	
				Grand Total	

Authorised By:

Signature: _____

Name: _____

Position: _____

Date: _____

(DD/MM/YY)

Authorised for and on behalf of:

Company: _____

Appendix A – Detailed Specifications

1.Reflective Vest – Qty: 85 Each

Item No.	Technical Specification		Mandatory	Compliance of specification offered
<i>A</i>	<i>B</i>		<i>C</i>	<i>D</i>
	Reflective Vest			
			<i>M</i>	
i	Reflective Material	Minimum 360° visibility; Retroreflective tape of 2 inches (50mm) wide minimum; Must be placed around torso, shoulders, and in an “H” on front and back	M	
ii	Material	Polyester Knit; Lightweight; Tear-resistant	M	
iii	Closure Type	Zipper	M	
iv	Add-on	ID card holder slot	M	
v	Colour	Fluorescent Orange-Red	M	
vi	Branding	Digital Malawi Acceleration Project	M	

2.Flame-resistant Clothing – Qty 03 Each

Item No.	Technical Specification		Mandatory	Compliance of specification offered
<i>A</i>	<i>B</i>		<i>C</i>	<i>D</i>
	Flame-resistant Clothing			
i	Material Type	Inherently FR fabrics	M	

ii	Arc Thermal Performance Value	Minimum of 4 cal/cm ²	M	
iii	Garment Types	FR coveralls	M	
iv	Closures and Fasteners	Must be flame-resistant; FR zippers, snap buttons, or Velcro with protective flaps	M	
v	Seams and Stitching	Constructed with FR thread; Triple-stitched for strength and safety	M	
vi	Pockets and Features	Designed to avoid catching fire or trapping flammable substances; Pockets must have flaps or closures	M	
vii	Additional Safety Features	FR reflective high-visibility tape; Anti-static properties	M	
viii	Colour	Navy Blue or Bottle Green	M	
ix	Branding	Digital Malawi Acceleration Project	M	

3. Gloves – Qty: 03 pairs

Item No.	Technical Specification		Mandator y	Compliance of specification offered
<i>A</i>	<i>B</i>		<i>C</i>	<i>D</i>
	Gloves			
i	Type	Flame-resistant	M	
ii	Material composition	Nitrile Outer layer; Cotton Inner lining	M	
iii	Length	Minimum 12–14 inches; Extended cuff	M	

iv	Grip Surface	Textured palm/fingers	M	
v	Thickness	Between 0.4 mm – 0.7 mm	M	
vi	Branding	Digital Malawi Acceleration Project	M	

4. Phillips and Flathead Screwdrivers – Qty: 02 pairs

Item No.	Technical Specification		Mandator y	Compliance of specification offered
<i>A</i>	<i>B</i>		<i>C</i>	<i>D</i>
	Phillips and Flathead Screwdrivers			
i	Purpose	Tightening and loosening standard screws on equipment and enclosures	M	
ii	Material	<ul style="list-style-type: none"> • Chrome vanadium steel • Insulated handles • IEC 60900 compliant 	M	

5. Precision Screwdrivers, Qty=02

Item No.	Technical Specification		Mandator y	Compliance of specification offered
<i>A</i>	<i>B</i>		<i>C</i>	<i>D</i>
	Precision Screwdrivers			
i	Purpose	Handling small screws in electronics and hard drives	M	
ii	Set	Includes: <ul style="list-style-type: none"> • multiple sizes • Anti-slip grip 	M	

		<ul style="list-style-type: none"> • Magnetic tips 		
--	--	---	--	--

6.Nut Drivers, Qty=02

Item No.	Technical Specification		Mandator y	Compliance of specification offered
<i>A</i>	<i>B</i>		<i>C</i>	<i>D</i>
	Nut Drivers			
i	Purpose	Fastening nuts and bolts during rack and component assembly	M	
ii	Sizes	5mm-12mm	M	
iii	Handles	Insulated	M	
iv	Material	Chrome finish	M	

7.Allen (Hex) Wrenches, Qty=01

Item No.	Technical Specification		Mandator y	Compliance of specification offered
<i>A</i>	<i>B</i>		<i>C</i>	<i>D</i>
	Allen (Hex) Wrenches			
i	Purpose	Used for server and cabinet fasteners with hexagonal sockets	M	
ii	Set	<ul style="list-style-type: none"> • Set of metric sizes • Hardened steel • Corrosion-resistant 	M	

--	--	--	--	--

8. Needle-Nose Pliers, Qty=02

Item No.	Technical Specification		Mandatory	Compliance of specification offered
<i>A</i>	<i>B</i>		<i>C</i>	<i>D</i>
	Needle-Nose Pliers			
i	Purpose	Gripping and bending wires or reaching into tight spaces	M	
ii	Material	<ul style="list-style-type: none"> • High-carbon steel • Insulated handles • IEC 60900 compliant 	M	

9. Wire Strippers, Qty=02

Item No.	Technical Specification		Mandatory	Compliance of specification offered
<i>A</i>	<i>B</i>		<i>C</i>	<i>D</i>
	Wire Strippers			
i	Purpose	Removing insulation from electrical wires cleanly	M	
ii	Components	<ul style="list-style-type: none"> • Adjustable gauge • Ergonomic grip • Safety lock 	M	

10. Crimping Tool, Qty=01

Item No.	Technical Specification		Mandator y	Compliance of specification offered
<i>A</i>	<i>B</i>		<i>C</i>	<i>D</i>
	Wire Strippers			
i	Purpose	Attaching connectors (e.g., RJ45) to network cables	M	
ii	Compatibility	<ul style="list-style-type: none"> Compatible with RJ45/RJ11 Ratchet mechanism 	M	
iii	Material	<ul style="list-style-type: none"> Hardened steel 	M	

11.Punch Down Tool, Qty=01

Item No.	Technical Specification		Mandatory	Compliance of specification offered
<i>A</i>	<i>B</i>		<i>C</i>	<i>D</i>
	Punch Down Tool			
i	Purpose	Terminating wires into patch panels and keystone jacks	M	
ii	Performance Features	<ul style="list-style-type: none"> Impact adjustment Includes spare blades Ergonomic design 	M	

12.Label Maker, Qty=01

Item No.	Technical Specification		Mandatory	Compliance of specification offered
<i>A</i>	<i>B</i>		<i>C</i>	<i>D</i>

	Label Maker			
i	Purpose	Creating labels for cables and equipment for proper identification	M	
ii	Performance Features	<ul style="list-style-type: none"> • Thermal printing • Supports multiple font sizes • Battery-operated 	M	

13.Cable Testers (RJ45/RJ11), Qty=02

Item No.	Technical Specification		Mandatory	Compliance of specification offered
<i>A</i>	<i>B</i>		<i>C</i>	<i>D</i>
	Cable Testers (RJ45/RJ11)			
i	Purpose	Testing network cables for continuity and faults	M	
ii	Performance Features	<ul style="list-style-type: none"> • LED indicators • Tests for shorts and miswires • Battery-powered 	M	

14.Loopback Plugs, Qty=02

Item No.	Technical Specification		Mandatory	Compliance of specification offered
<i>A</i>	<i>B</i>		<i>C</i>	<i>D</i>
	Loopback Plugs			
i	Purpose	Testing and diagnosing network interface issues	M	
ii	Performance Features	<ul style="list-style-type: none"> • RJ45 and RJ11 compatible • Durable plastic housing 	M	

15.Digital Multimeter, Qty=01

Item No.	Technical Specification		Mandatory	Compliance of specification offered
<i>A</i>	<i>B</i>		<i>C</i>	<i>D</i>
	Digital Multimeter			
i	Purpose	Measuring voltage, current, and resistance in circuits	M	
ii	Performance Features	<ul style="list-style-type: none"> Range: AC/DC voltage up to 1000V Auto-ranging IEC safety certified 	M	

16. Power Outlet Tester, Qty=01

Item No.	Technical Specification		Mandatory	Compliance of specification offered
<i>A</i>	<i>B</i>		<i>C</i>	<i>D</i>
	Power Outlet Tester			
i	Purpose	Checking power outlet wiring and grounding issues	M	
ii	Performance Features	<ul style="list-style-type: none"> LED indicators Tests GFCI Compact design 	M	

17.USB to Serial/RS 232 Adapters, Qty=02

Item No.	Technical Specification		Mandatory	Compliance of specification offered
<i>A</i>	<i>B</i>		<i>C</i>	<i>D</i>
	USB to Serial/RS 232 Adapters			
i	Purpose	Connecting laptop to console ports on network devices	M	
ii	Performance Features	<ul style="list-style-type: none"> Supports RS232 standard Plug-and-play 	M	

		<ul style="list-style-type: none"> Compatible with Windows/Linux 		
--	--	---	--	--

18.USB Boot/Diagnostic Tool Kits, Qty=02

Item No.	Technical Specification		Mandatory	Compliance of specification offered
<i>A</i>	<i>B</i>		<i>C</i>	<i>D</i>
	USB Boot/Diagnostic Tool Kits			
i	Purpose	Running OS installs and diagnostics from USB	M	
ii	Performance Features	<ul style="list-style-type: none"> Includes bootable OS images High-speed USB 3.0 Durable casing 	M	

19.Crash Cart for Data Centre, Qty=01

Item No.	Technical Specification		Mandatory	Compliance of specification offered
<i>A</i>	<i>B</i>		<i>C</i>	<i>D</i>
	Crash Cart for Data Centre			
i	Purpose	Temporary access to servers without remote management tools	M	
ii	Components	<ul style="list-style-type: none"> Includes monitor, keyboard, mouse. 	M	
iii	Performance Features	<ul style="list-style-type: none"> Foldable design Heavy-duty wheels 	M	

20.Velcro Cable Straps, Qty=50

Item No.	Technical Specification		Mandatory	Compliance of specification offered

<i>A</i>	<i>B</i>		<i>C</i>	<i>D</i>
	Velcro Cable Straps			
i	Purpose	Bundling and organizing cables neatly	M	
ii	Performance Features	<ul style="list-style-type: none"> • Reusable • Length: 8 inches • Fire-retardant material 	M	

21.Zip Ties and Tie Gun, Qty=100

Item No.	Technical Specification		Mandatory	Compliance of specification offered
<i>A</i>	<i>B</i>		<i>C</i>	<i>D</i>
	Zip Ties and Tie Gun			
i	Purpose	Securing cables in racks and enclosures	M	
ii	Material	<ul style="list-style-type: none"> • Nylon • Tensile strength: 50 lbs • Includes tie gun 	M	

22.Cage Nut Tool, Qty=01

Item No.	Technical Specification		Mandatory	Compliance of specification offered
<i>A</i>	<i>B</i>		<i>C</i>	<i>D</i>
	Cage Nut Tool			
i	Purpose	Installing and removing cage nuts in server racks	M	
ii	Performance Features	<ul style="list-style-type: none"> • Ergonomic handle • Hardened steel • Fits standard cage nuts 	M	

23. Compressed Air Canisters, Qty=02

Item No.	Technical Specification		Mandatory	Compliance of specification offered
<i>A</i>	<i>B</i>		<i>C</i>	<i>D</i>
	Compressed Air Canisters			
i	Purpose	Cleaning dust from hardware components	M	
ii	Performance Features	<ul style="list-style-type: none"> • Non-flammable • Includes precision nozzle • 500ml capacity 	M	

24. Microfiber Cloths, Qty=05

Item No.	Technical Specification		Mandatory	Compliance of specification offered
<i>A</i>	<i>B</i>		<i>C</i>	<i>D</i>
	Microfiber Cloths			
i	Purpose	Wiping screens and sensitive components without scratching	M	
ii	Material	<ul style="list-style-type: none"> • Lint-free • Size: 12x12 inches • Washable 	M	

25. ESD Wrist Strap, Qty=06

Item No.	Technical Specification		Mandatory	Compliance of specification offered
<i>A</i>	<i>B</i>		<i>C</i>	<i>D</i>
	ESD Wrist Strap			
i	Purpose	Preventing electrostatic discharge during hardware work	M	

ii	Performance Features	<ul style="list-style-type: none"> Adjustable Includes grounding cord Meets ANSI/ESD standards 	M	
----	----------------------	---	---	--

26.Cut-resistant Gloves, Qty=02

Item No.	Technical Specification		Mandatory	Compliance of specification offered
<i>A</i>	<i>B</i>		<i>C</i>	<i>D</i>
	Cut-resistant Gloves			
i	Purpose	Protecting hands while handling sharp or heavy components	M	
ii	Material	<ul style="list-style-type: none"> Kevlar Size: Universal EN388 certified 	M	

27. Tool Bag with Compartments, Qty=01

Item No.	Technical Specification		Mandatory	Compliance of specification offered
<i>A</i>	<i>B</i>		<i>C</i>	<i>D</i>
	Tool Bag with Compartments			
i	Purpose	Organizing and transporting all tools safely	M	
ii	Material	<ul style="list-style-type: none"> Heavy-duty nylon Multiple compartments Water-resistant 	M	

28.Mechanical Toolbox, Qty=01

Item No.	Technical Specification		Mandatory	Compliance of specification offered
<i>A</i>	<i>B</i>		<i>C</i>	<i>D</i>

	Mechanical Toolbox			
i	Purpose	Houses a comprehensive set of mechanical tools required for maintenance of all the electrical and mechanical equipment at the data center. Gedore brand is preferred due to its reliability	M	
ii	Type	Portable, Heavy duty professional mechanical toolbox	M	
iii	Material	<ul style="list-style-type: none"> Hardened steel with the following minimum contents Combination spanner set (8mm - 24mm), Socket set (1/4", 3/8", 1/2") with ratchets, allen key set, screwdrivers (flat & Phillips), Pliers set (long nose, side cutter, adjustable), hammer and adjustable wrench 	M	

29. Insulated screwdriver set, including neon tester Qty=01

Item No.	Technical Specification		Mandatory	Compliance of specification offered
A	B		C	D
	Insulated screwdriver set, including neon tester			
i	Purpose	Used to tighten or loosen screws on live electrical systems preventing accidental short circuiting and ensuring safety of the engineer while maintaining the system uptime.	M	
ii	Certification	VDE/GS certified, IEC 60900 (1000V rated)	M	
iii	Set Composition	At least 7 pieces (8th being the neon tester)	M	
iv	Voltage Rating	Up to 1,000V AC	M	

30. Digital Multimeter, Qty=01

Item No.	Technical Specification		Mandatory	Compliance of specification offered
<i>A</i>	<i>B</i>		<i>C</i>	<i>D</i>
	Digital Multimeter			
i	Purpose	Used to measure AC/DC voltage, resistance, and continuity. It is essential for fault troubleshooting and verifying electrical systems parameters.	M	
ii	Measurement Functions	AC/DC Voltage, AC/DC Current, Resistance, Continuity, True RMS Required	M	
iii	Safety Rating	CAT III 600V or CAT IV 300V	M	
iv	Accessories	Test leads and protective case	M	
v	Warranty	Minimum 1 year	M	

31. AC and DC Clamp Meter, Qty=01

Item No.	Technical Specification		Mandatory	Compliance of specification offered
<i>A</i>	<i>B</i>		<i>C</i>	<i>D</i>
	AC and DC Clamp Meter			
i	Purpose	Used to measure current in live systems. Essential for troubleshooting and ensuring systems are operating within the specified ranges.	M	
ii	Measurement Functions	AC/DC Voltage, AC/DC Current, Resistance, Continuity, True RMS Required	M	
iii	Safety Rating	CAT III 600V or better	M	
iv	Jaw Opening	Minimum 30mm; Current Range: AC - 0-600A; DC - 0-600A	M	

v	Accessories	Test leads and protective case	M	
vi	Warranty	Minimum 1 year	M	

32. Dust blower, Qty=01

Item No.	Technical Specification		Mandatory	Compliance of specification offered
A	B		C	D
	Dust blower			
i	Purpose	Used to blow dust and debris in the electrical, IT and Network equipment. Essential in heat prevention and clean airflow paths in sensitive equipment.	M	
	Performance Features	<ul style="list-style-type: none"> Industrial grade electric dust blower Power Rating $\geq 600W$ 	M	
iii	Speed	Variable	M	
v	Accessories	Dust bag and nozzle set	M	

33. Heavy duty adjustable wrench and hammer, Qty=01

Item No.	Technical Specification		Mandatory	Compliance of specification offered
A	B		C	D
	Heavy duty adjustable wrench and hammer			
i	Purpose	Used to adjust mechanical anchors and fasteners especially for Generator components. Offers flexibility with different bolt sizes that may not be available with the	M	

		spanners in the toolbox		
ii	Material	Chrome vanadium steel	M	
iii	Length	300mm (12 - inch)	M	
iv	Jaw Capacity	30mm	M	
v	Hammer	Industrial claw, weight - 500g to 1kg, with shock absorbing handle	M	

34. Heavy duty crimping tool set, Qty=01

Item No.	Technical Specification		Mandatory	Compliance of specification offered
<i>A</i>	<i>B</i>		<i>C</i>	<i>D</i>
	Heavy duty crimping tool set			
i	Purpose	Used for terminating heavy duty gauge power cables and cable lugs during battery replacement and power cables replacements	M	
ii	Crimping range	0.5–16 mm ²	M	
iii	Material	Hardened steel jaws	M	
iv	Operation	Ratchet mechanism with adjustable tension and includes assorted terminals in the box	M	

35. Battery tester, Qty=01

Item No.	Technical Specification		Mandatory	Compliance of specification offered
<i>A</i>	<i>B</i>		<i>C</i>	<i>D</i>
	Battery tester			

i	Purpose	Assesses health and capacity of UPS VRLA batteries and helps identify failing cells before they compromise uptime.	M	
ii	Compatibility	Compatible with 12V, and 24V VRLA systems	M	
iii	Test Features	SOH, SOC, Internal Resistance, with Backlit LCD display	M	
iv	Safety Feature	Reverse Polarity protection	M	
v	Warranty	Minimum 12-month	M	

36. Grounding Tester, Qty=01

Item No.	Technical Specification		Mandatory	Compliance of specification offered
A	B		C	D
	Grounding Tester			
i	Purpose	Measures the effectiveness of electrical grounding systems to ensure the equipment is protected from surges and guarantees safety from electric shock.	M	
ii	Measurement	<ul style="list-style-type: none"> • Earth resistance and AC voltage • 3-Pole and 2-Pole Test methods • Resistance range of 0.01 to 2000Ω • Digital LCD display • CAT III 600V 	M	
iii	Accessories	Accessories including test leads, earth spikes and carrying case	M	

37. Insulation Tape Box, Qty=01

Item No.	Technical Specification		Mandatory	Compliance of specification offered
A	B		C	D

	Insulation Tape Box			
i	Purpose	Used to insulate and secure exposed terminals and cables	M	
ii	Performance Features	<ul style="list-style-type: none"> • PVC electrical insulation • Color variety - Black, red, blue and yellow • up to 600V rating 	M	

38. First Aid Box and Kit, Qty=01

Item No.	Technical Specification		Mandatory	Compliance of specification offered
<i>A</i>	<i>B</i>		<i>C</i>	<i>D</i>
	First Aid Box and Kit			
i	Purpose	Contains essential supplies for treating injuries and emergencies at the workplace. Ensures compliance with OSHA and safety regulations.	M	
ii	Performance Features	<ul style="list-style-type: none"> • Compliant to OSHA/ISO 3864 • Box type: Wall mountable or portable hard case • Suitability: For workplaces with electrical and mechanical operations" 	M	

39. Office Waste Bins, Qty=09

Item No.	Technical Specification		Mandatory	Compliance of specification offered
<i>A</i>	<i>B</i>		<i>C</i>	<i>D</i>
	Office Waste Bins			
i	Material	Stainless steel - Silver	M	

40. Heavy Duty Padlocks, Qty=06

Item No.	Technical Specification		Mandatory	Compliance of specification offered
<i>A</i>	<i>B</i>		<i>C</i>	<i>D</i>
	Heavy Duty Padlocks			
i	Purpose	For the Main Gate, the Small Gate, the Power Yard and the Utility Yard.	M	
ii	Material	Hardened steel or alloy steel chain links, case-hardened surface.	M	

41. Padded Chain Locks, Qty=02

Item No.	Technical Specification		Mandatory	Compliance of specification offered
<i>A</i>	<i>B</i>		<i>C</i>	<i>D</i>
	Padded Chain Locks			
i	Purpose	For the containment compartments in the IT Server room.	M	
ii	Material	Made of hardened steel or alloy steel with the padding made of non-conductive material	M	

42. A4 Picture Frame, Qty=01

Item No.	Technical Specification		Mandatory	Compliance of specification offered
<i>A</i>	<i>B</i>		<i>C</i>	<i>D</i>
	A4 Picture Frame			
i	Material	Made of Aluminium	M	

43. Door Mats, Qty=03

Item No.	Technical Specification		Mandatory	Compliance of specification offered
<i>A</i>	<i>B</i>		<i>C</i>	<i>D</i>
	Door Mats			
i	Material	1. Rubber 80 x 140 cm (Quantity=01) 2. Polypropylene 60 x 120 cm (Quantity=02)	M	