

REQUEST FOR QUOTATIONS

Procurement Number: 031/MZCH/2024-25/207

To:

Date March 17th 2025

NOTE: INSPECTION CAN BE ARRANGED WITH THE MAINTAINCE SUPERVISOR AT OWN COST FOR BIDDERS WANTING TO INSPECT THE BUILDING ON 0888697293

The Procuring Entity named above invites you to submit your quotation for the goods described herein. Partial Quotations may be rejected, and the Purchaser reserves the right to award a contract for selected items only. Any resulting order shall be subject to the Government of Malawi General Conditions of Contract for Local Purchase Orders (available on request) except where modified by this Request for Quotations.

SECTION A: QUOTATION REQUIREMENTS: ONLY CONTRACTORS REGISTERED WITH NCIC IN THE K200MILLION CATEGORY ARE ELIGIBLE TO PARTICIPATE.

- 1. Description of goods and related services: Construction Completion of Rainbow Building at Mzuzu Central Hospital
- **2.** Quotation prices should be based on: Malawi Kwacha for goods supplied from within Malawi; EXW insured and delivered to Mzuzu Central Hospital.
- 3. The delivery period required is within 3months from the date of order.
- 4. Quotations must be valid for 30 days from the date of the receipt given below.
- 5. The warranty/guarantee offered shall be N/A
- **6.** Quotations and supporting documents as specified in Section B must be marked with the Procurement Number given above, and indicate your acceptance of the terms and conditions.
- 7. Quotations must be received, in sealed envelopes, no later than 10:00 hrs on 26th, March, 2025.
- 8. Quotations must be returned to:

The Procurement and Disposal Unit

Mzuzu Central Hospital, P/Bag 209, Luwinga, Mzuzu 2.

Tel: 01 320 620, Fax: 01 320 217

- **9.** The attached Schedule of Requirements in Section C, details the items to be purchased. You are requested to quote your delivered price for these items by completing and returning Sections B and C.
- 10. Quotations that are responsive, qualified, and technically compliant will be ranked according to price. Award of contract will be made to the lowest evaluated priced quotation by item or by total through the issue of a Local Purchase Order.

Signed

Name: **Dominic Chimaliro**

Title/Position: Principal Procurement Officer

For and on behalf of the Purchaser

REQUEST FOR QUOTATIONS

Your quotation is to be returned on this Form by completing and returning Sections B and C including any other information/certification required within this RFQ.

SECTION B: QUOTATION SUBMISSION SHEET

- 1. Currency of Quotation: Malawi Kwacha
- 2. Delivery period offered: days/weeks/months from date of Purchase Order.
- 3. The validity period of this Quotation is: days from the date for receipt of Quotations.
- 4. We attach the following documents:
 - i. Section C of the Request for Quotations completed and signed;
 - ii. Beneficial ownership disclosure form;
 - iii. Proforma invoice/quotation on company letterhead;
 - iv. A copy of our Trading Licence;
 - v. A copy of a Tax Clearance Certificate;
 - vi. A copy of a valid PPDA certificate;
 - vii. A copy of the VAT registration certificate
- 5. We confirm that our quotation is based on the terms and conditions stated in your Request for Quotations referenced above and that any resulting contract will be subject to the Government of Malawi's General Conditions of Contract for Local Purchase Orders.
- 6. We confirm that the prices quoted are fixed and firm for the duration of the validity period and will not be subject to revision or variation.

Authorised by: Signature:	Name:	
Position:	<u> </u>	
	Date:	
Authorised for and on behalf of:		(DD/MM/YY)
Company:		
Address:		

If any additional documentation is attached to your quotation, a signature and authorisation at Section B and Section C is still required as confirmation that the terms and conditions of this RFQ prevail over any attachments. If the Quotation is not authorised in Section B and Section C, the

MZUZU CENTRAL HOSPITAL Private Bag 209, Luwinga, Mzuzu 2. REQUEST FOR QUOTATIONS

SECTION C: SCHEDULE OF REQUIREMENTS (TO BE PRICED BY BIDDER)

BILLS OF QUANTITIES (BOQs)

Item No.	Description of goods			Delivered Unit Price <i>Kwacha</i>	Delivered Total Price <i>Kwacha</i>
1	Substructure				
	Hardcore filling to pass a 50mm ring all ways				
	150mm (consolidated) filling well compacted and rolled, blinded to receive concrete	1359	m²		
	Sand Blinding				
	25mm thick bed of sand on hardcore rolled to receive damp proof membrane	1359	m²		
	Damp Proof Membrane				
	125 Microns (500gauge) Polythene damp proof membrane with welted joints, lapped at joints and laid on blinded hardcore	1359	m²		
	Ant treatment				
	Saturate surface of hardcore and top of brick walls with approved ant repellant	1359	m²		
	Ditto, bottoms of excavations	360	m²		
	Sundries				
	Allow for keeping excavations free from water		ltem		
	Allow for planking and strutting to sides of excavations		ltem		
2	Windows and Doors (All Provisional)				

	Precast Reinforced vibrated concrete (Class 21N/mm2/10mm)				
A	250 x 65mm thick sill, splayed, rebated once grooved and two edges chamfered, finished fair on all exposed surfaces and built into blockwork, include for				
	form work (69 No)	124	m1		
	<u>Doors</u>				
A	Door type D1 Sermi solid core flush door	3	no		
В	Door Type D2 semi solid core flush door	21	no		
С	Pair;1750 x 2032 x 44mm High harwood glazed pannelled				
	door; with formica kick plates (D3)	3	No		
D	Pair; 3000 x 2100 x 44mm, ditto (D4)	1	No		
E	$1200 \times 2100 \times 44$ mm, one side fixed ditto (D5)	16	No		
	Flush doors; semi-solid core; 6mm internal quality facing for painting both sides; fixing with adhesive under hydraulic				
	pressure; 15mm hardwood lipping all edges				
	METAL WORK				
	Door frames				
	Rates shall include for lugs welded to back, building				
	into brickwork and filling cavity cement and sand				

	l l			T
	Prior to delivery on site, the whole to be treated at			
	works with one coat of red oxide primer			
	Door frames in Mild steel			
_	D1 Standard metal door frame for size 900 x			
F	2500mm overall; with fanlight; to suit one brick wall complete with pair of butts			
	complete with pair of butts	3	No	
G	D2 Standard metal door frame for door size 900 x 2150mm overall to			
	suit half brick wall complete with pair of butts complete with pair of butts	10	No	
Н	D3 Standard metal Double-door frame for door size 1700 x 2150mm overall to			
	suit one brick wall complete with pair of butts complete with pair of butts	3	No	
1	D4 Standard metal Double-door frame for door size 3000 x 2150mm overall Front Door to			
	suit one brick wall complete with pair of butts complete with pair of butts	1	No	
j	D5 Standard metal Double-door frame for size 1200 x 2150mm overall Front Door to			
	suit one brick wall complete with pair of butts complete with pair of butts	16	No	
	complete with pair of butts	10	110	
	Window frames			
	Standard mild steel horizontal bar windows with lugs welded,			

	all opening lights complete with ironmongery, including projecting hinges and whole to be treated to works with one			
	coat red oxide prime, built into brickwork			
A	2000 x 1425mm High window with full height mullions and full width transomes complete with burglar bars (W1)	48	No	
В	3000 x 1425mm High window with full height mullions and full width transomes complete with burglar bars (W2)	3	No	
C	1500 x 1425mm High window with full height mullions and full width transomes complete with burglar bars (W3)	10	No	
D	500 x 650mm High window with full height mullions and full width transomes complete with burglar bars (W4)	9	No	
	GLASS IN OPENINGS			
	Sheet OQ obscure			
	Sheet; ordinary quality; clear			
F	4mm generally	180	m2	
	4mm fanlights to metal with putty			
G	over 0.1 not exceeding 0.5m2	15	m2	
	Sheet; Georgian Wire			

	1	1	i		
	Н	4mm to hardwood	13	m2	
		<u>Frames</u>	_		
		Door frames			
	1	Hardwood 150 x 50mm	170	m1	
	ı	I The state of the	I -		
3	Wal	l Finishes	i		
		IN-SITU FINISHES			
		Plaster; cement and sand (1:4) wood floated; internal			
	A	- 19mm work to walls; two coats; to blockwork base over			
		300mm wide	317 0	m2	
	В	narrow widths	5	m2	
		TILE; SLAB OR BLOCK FINISHES			
		Ceramic tiles, white glazed; laid at random;			
		bedding in cement mortar (1:4) and grouting and pointing			
		with white			
		cement putty; internal			
		150 x 150 x 3mm; 2mm joints; to walls; to			
	C	cement and	10-		
		sand base over 300mm wide	135	m2	
		BEDS AND BACKINGS			
		Plaster; cement and sand (1:4); internal			

	D	16mm backings; screeded to receive glazed tiles to walls;			
		to blockwork base over 300mm wide	35	m2	
4	Sani	tary fittings	1	1	
		Everite Vaal Potteries; Corner Morris/Lily Rd. P.O.Box 49,			
		Meyerton 1960, Gauteng South Africa; or equal			
		and approved			
		Heavy duty lavatory basins; ceramic fireclay;			
	Α	Springbok			
		0112; 32mm; chromium plated waste; chain; stay and			
		plugs; tap hole stopper; brackets 560 x 405mm;			
		fixing on semi concealed cast iron brackets to backgrounds requiring plugging; pointing along one			
		edge of basin with silicone sealant	10	No	
	В	WC suites; white glazed vitreous china; low level; Protea			
		Din 750611; 9 litre cistern, freeflow with PVC flush pipe; flush pipe connector, seat and cover P trap Pan;			
		fixing pan and cistern to backgrounds requiring			
		plugging; bedding pan in cement mortar (1:4)	9	No	
	С	Paraplegic; ditto	2	No	
	D	extra; WC connector	10	No	
	E	Springbok drip sink; ceramic fireclay; Model 2380 with			
		hardwood pad; 38mm CP waste; plug and chain and			
		chromium plated bucket grating with rubber stops; 8102 brackets 535 x 455 x 180mm pointing along one			
		edge of basin with silicone sealant	1	No	

	_					
	F	White glazed vitreous china urinal bowl, complete with 38mm diameter chromium plated domed grating, set up on and including brackets, fixed to brick/concrete wall	4	No		
	G	White glazed vitreous china urinal cistern 4.5 litre complete with dripcock 12mm diameter chromium plated flush pipe and spreaders serving 2No urinal bowls. Fix to brick/concrete wall	2	No		
		Josiah Parkes & Sons (SA) Ltd, 54 Harry Street, Robertsham, 2091, P.O. Box 82682, Southdale 2135 Johannesburg, South Africa; Yale and Union fittings; or equal and approved				
	Н	Toilet roll holders; fixed to block wall with rawl bolts bracket type; aluminium anodised silver finish; moulded plastic roller; 140 x 71mm; Model 8440	10	No		
	1	Towel rails; fixed to block wall with rawl bolts rail type; aluminium anodised silver finish moulded black plastic				
		brackets 500mm long; Model 8450	10	No		
5	Soil,	Waste and vent services (All provisional) PVC and uPVC pipes and fittings; BS4514 Key Terrain				

ipes; solvent welded joints in the running length; xing with standard clips to backgrounds requiring lugging Omm pipe xtra; bends xtra; access bends IOmm pipe xtra; bends xtra; access bends xtra; access bends	45 18 18 45 18 80	m No No m No m No		
lugging Omm pipe xtra; bends xtra; access bends Omm xtra; access bends IOmm pipe xtra; bends	18 18 45 18 80	No No m No m		
xtra; bends xtra; access bends Omm xtra; access bends IOmm pipe xtra; bends	18 18 45 18 80	No No m No m		
xtra; access bends Omm xtra; access bends IOmm pipe xtra; bends	18 45 18 80 15	No m No m		
Omm xtra; access bends IOmm pipe xtra; bends	45 18 80 15	m No m		
xtra; access bends 10mm pipe xtra; bends	18 80 15	No m		
10mm pipe xtra; bends	80 15	m		
xtra; bends	15			
		No		
xtra; access bends				
	15	No		
UILDERS WORK				
bully traps; Key Terrain gully trap; 1849.9 "P' trap 844.25				
ully piece; 1841.8 grating set up including xcavation;				
oncrete surround and connecting to pipework	3	No		
loles for pipes or the like				
50mm block wall; small	10	No		
90mm block wall; large	10	No		
				1
5	Omm block wall; small	Omm block wall; small 10	Omm block wall; small 10 No	Omm block wall; small 10 No

6	Cold and Hot Water Services (All provisional)		
	All pipes shall be medium quality		
	galvanised mild steel		
	to BS 1387 with joints as described, fixed		
	with and		
	including the relevant pipe supports		
	Generally all pipes are concealed	1	
	Tees have been measured as equal tees		
	with reducing	I	
	sockets measured separately. Reducing bushes shall		
	not be used		
	not be used	l	
	Rates for pipework 20mm diameter and		
	under shall		
	include for all bends, tees, fittings, etc as	I	
	required		
	Teganica		
	Rates for all bends, tees, valves, fittings	l	
	shall include		
	for the corresponding screwed/flanged		
	joints to		
	adjoining pipework	'	
	ασίου β ριβουνοιικ		
	COLD WATER SERVICES	I	
	Reticulation to fittings		
	The following in reticulation from outside		
	of building to:-		
	10No. WCs		
	10No. Wash hand basins		
	4No. Urinal		
	1No. Sink		
	With screwed joints to BS 21 Part 1		

REQUEST FOR QUOTATIONS

	A	15mm Diameter pipe, fixed to brick/concrete walls	80	m1		
	В	20mm Diameter pipe, in roof space	80	m1		
	c	Ditto, laid in slab	52	m1		
	D	25mm Diameter pipe, fixed to brick/concrete walls	52	m1		
	E	Ditto, laid in trench	90	m1		
	F	Ditto, in roof space	70	m1		
	G	Extra over pipework for 25mm bend	15	No		
	Н	Ditto for 25mm tee	15	No		
7		trical chasing, tubing, fitting squarely junction boxents, clamping and plastering	ection			
					Sub-total	
					VAT 16.5%	
					PPDA 1%	
					Grand Total	

THE FOLLOWING ATTACHMENTS ARE APPENDED TO CLARIFY THE DESCRIPTION OF THE GOODS:

[LIST ANY ATTACHMENTS PROVIDING AN ADDITIONAL SPECIFICATION OF THE GOODS REQUIRED]

AUTHORISED BY:

SIGNATURE:	NAME:	
Position:	DATE:	

REQUEST FOR QUOTATIONS

ADDITIONAL INFORMATION

STAFFING

- 8 BRICK LAYERS
- 8 LABOURERS

THE CONTRACTOR WILL PROVIDE THE FOLLOWING KEY STAFF (PROVIDE CVS FOR KEY STAFF)

- 1 LAND SURVEYOR
- 1 QUANTITY SURVEYOR
- 1 SITE ENGINEER
- 1 PROJECT MANAGER
- 1 ELECTRICAL ENGINEER

EQUIPMENT

- CONCRETE MIXER: 5CUBIC METERS/HR AND 2CUBIC METERS /HR
- FUNCTIONAL 3 TONE MOTOR VEHICLE
- 1 POKER VIBRATOR
- 1 COMPACTOR

NOTE: INDICATE WHETHER LEASE OR OWNED

EXPERIENCE

ATLEAST THREE SIMILAR JOBS FOR THE PAST 5YEARS

REQUEST FOR QUOTATIONS

BENEFICIAL OWNERSHIP DISCLOSURE FORM

INSTRUCTIONS TO BIDDERS: DELETE THIS BOX ONCE YOU HAVE COMPLETED THE FORM

This Beneficial Ownership Disclosure Form ("Form") is to be completed by the Bidder. In case of a joint venture, the Bidder must submit a separate Form for each member of the Joint Venture.

The beneficial ownership information to be submitted in this Form shall be current as of the date of its submission.

For the purposes of this Form, a Beneficial Owner of a Bidder is any natural person who ultimately owns or controls the Bidder by meeting one or kore of the following conditions-

- 1. Directly or indirectly holding 5% or more of the shares
- 2. Directly or indirectly holding 5% or more of the voting rights
- 3. Directly or indirectly having the right to appoint a majority of the board of directors or equivalent governing body of the Bidder.
- 4. Directly or indirectly has a substantial economic interest in or receives substantial economic benefit from, a company, whether acting alone or together with other persons;
- 5. Has a significant stake in a company and on whose behalf activity of a company is conducted: or
- 6. Exercises significant control or influence over a person through a formal or informal agreement, and where such ownership, control or interest is through a trust, the trustee(s) beneficiaries, or anyone who controls the trust.

Date: [insert date]

Procurement Reference No.: [insert procurement reference number]

Page [insert page number] of [insert total number of pages] pages.

To: [insert complete name of Procuring and Disposing Entity]

In response to the invitation for bid dated [insert date of invitation for bid] we hereby submit beneficial ownership information: [select one option as applicable and delete the options that are not applicable]

We hereby provide the following beneficial ownership information.

REQUEST FOR QUOTATIONS

Details of beneficial ownership

Identity Beneficial Owner	Directly or indirectly holding 5% or more of the shares (Yes/ No)	Directly or indirectly holding 5% or more of the Voting Rights (Yes/No)	Directly or indirectly having the right to appoint a majority of Board of Directors or an equivalent governing body of the Bidder (Yes/No)
[Include full name (Last,			
middle, first), nationality,			
country of			
residence,			
telephone number(s), email			
address, and			
postal and			
physical addresses]			

OR

- (i) We declare that there is no Beneficial Owner who has not been disclosed meeting one or more of the following conditions-
 - 1. Directly or indirectly holding 5% or more of the shares
 - 2. Directly or indirectly holding 5% or more of the voting rights
 - 3. Directly or indirectly having the right to appoint a majority of the board of directors or equivalent governing body of the Bidder.
 - 4. Directly or indirectly has a substantial economic interest in or receives substantial economic benefit from, a company, whether acting alone or together with other persons;
 - 5. Has a significant stake in a company and on whose behalf activity of a company is conducted; or

REQUEST FOR QUOTATIONS

6. Exercises significant control or influence over a person through a formal or informal agreement, and where such ownership, control or interest is through a trust, the trustee(s) beneficiaries, or anyone who controls the trust.

OR

- (ii) We declare that we are unable to identify any Beneficial Owner meeting one or more of the following conditions. [If this option is selected, the Bidder shall provide explanation on why it is unable to identify any Beneficial Owner]
 - 7. Directly or indirectly holding 5% or more of the shares
 - 8. Directly or indirectly holding 5% or more of the voting rights
 - 9. Directly or indirectly having the right to appoint a majority of the board of directors or equivalent governing body of the Bidder.
 - 10. Directly or indirectly has a substantial economic interest in or receives substantial economic benefit from, a company, whether acting alone or together with other persons;
 - 11. Has a significant stake in a company and on whose behalf activity of a company is conducted; or
 - 12. Exercises significant control or influence over a person through a formal or informal agreement, and where such ownership, control or interest is through a trust, the trustee(s) beneficiaries, or anyone who controls the trust.

Name of the Bidder: [insert complete name of the Bidder]¹

Name of the person duly authorized to sign the Bid on behalf of the Bidder: [insert complete name of person duly authorized to sign the Bid]²

Title of the person signing the Bid [Insert complete title of the person signing the Bid Signature of the person named above-----

Date signed [insert ordinal number] day of [insert month], [insert year]

¹ In the case of the Bid submitted by a Joint Venture specify the name of the Joint Venture as Bidder. In the event that the Bidder is a Joint venture, each reference to "Bidder" in the Beneficial Owner Disclosure Form (including this Introduction thereto) shall be read to refer to the Joint venture member.

² Person signing the Bid shall have the Power of attorney given by the Bidder. The power of attorney shall be attached with the Bid Schedules.

MZUZU CENTRAL HOSPITAL Private Bag 209, Luwinga, Mzuzu 2. REQUEST FOR QUOTATIONS