Our	Ref

Your Ref

Tel/Fax:

All replies to be addressed to
The District Commissioner



NTCHISI DISTRICT COUNCIL
P.O BOX 1
NTCHISI
MALAWI

DATE: 19th August, 2024

REQUEST FOR QUOTATIONS (FOR GOODS)

Procurement Number: MW-NSDC-418745-GO-FRQ MW-NSDC-418750-GO-RFQ MW-NSDC-418758-GO-RFQ

To:	 	 •••••	 	 	

The Procuring Entity named above invites you to submit your quotation for the goods described herein. Partial Quotations may be rejected, and the Purchaser reserves the right to award a contract for selected items only. Any resulting order shall be subject to the Government of Malawi General Conditions of Contract for Local Purchase Orders (available on request) except where modified by this Request for Quotations.

SECTION A: QUOTATION REQUIREMENTS:

- 1) Description of Supply and Delivery
 - SUPPLY AND DELIVERY OF MEDICAL EQUIPMENTS FOR CHANDAWE, CHINKHANDE AND SAMBAKUNSI HEALTH POSTS UNDER GESD PROJECT
- 2) Quotation prices should be based on:
 - For goods supplied from within Malawi; EXW insured and delivered to **Ntchisi District Council, P.O Box 1, Ntchisi**
- 3) The delivery period required is 5 days from date of order.
- 4) Quotations must be valid for **30days** from the date for receipt given below.
- 5) The warranty/guarantee offered shall be:
- 6) Quotations and supporting documents as specified in Section B must be marked with the Procurement Number given above, and indicate your acceptance of the terms and conditions.
- 7) Quotations must be received, in sealed envelopes, no later than: 14:00hours on 23-08-2024
- 8) Quotations must be returned to: The Chairman Internal Procurement and Disposal Committee, Ntchisi District Council P.O Box 1, Ntchisi. Attention: Procurement and Disposal Officer
- **9**) The attached Schedule of Requirements at Section C, details the items to be purchased. You are requested to quote your delivered price for these items by completing and returning Sections B and C.
- **10)** [*List any other requirements e.g. the provision of samples*]

Quotations that are responsive, qualified and technically compliant will be ranked according to price. Award of contract will be made to the lowest priced quotation by item or by total through the issue of a Local Purchase Order.

Signed:	Name; Siphiwe Banda

Title/Position: **Procurement Officer**

Ntchisi District Council

Procurement Number: MW-NSDC-418745-GO-FRQ MW-NSDC-418750-GO-RFQ MW-NSDC-418758-GO-RFQ

Your quotation is to be returned on this Form by completing and returning Sections B and C including any other information/certification required within this RFQ.

SECTION B: QUOTATION SUBMISSION SHEET

1)	Curi	rrency of Quotation: Malawi Kwacha		
2)	Deli	livery period offered:Evening/weeks	months from date	of Purchase Order.
3)	The	e validity period of this Quotation is: day	s from the date for i	receipt of Quotations.
4)	War	arranty period (where applicable):	months.	
5)	We	e attach the following documents:		
	i.	Section C of the Request for Quotations con	npleted and signed;	
	ii.	A copy of our Trading Licence,		
	iii.	. A copy of Tax Clearance Certificate		
	iv.	. A copy of PPDA Certificate		
	v.	Images of the equipment's		
6)	Quo	e confirm that our quotation is based on the too otations referenced above, and that any resulting clawi General Conditions of Contract for Local	ng contract will be s	• •
7)		e confirm that the prices quoted are fixed and l not be subject to revision or variation.	firm for the duration	on of the validity period and
Au	thori	rised By:		
Sig	natur	ire: 1	Name:	
Pos	sition	n: I	Date:	
Au	thoris	ised for and on behalf of:		(DD/MM/YY)
Co	mpan	ny:		
Ad	dress	s:		

If any additional documentation is attached to your quotation, a signature and authorisation at Section B and Section C is still required as confirmation that the terms and conditions of this RFQ prevail over any attachments. If the Quotation is not authorised in Section B and Section C, the quotation may be rejected.

Procurement Number: MW-NSDC-418745-GO-FRQ MW-NSDC-418750-GO-RFQ

MW-NSDC-418758-GO-RFQ

SECTION C: SCHEDULE OF REQUIREMENTS (TO BE PRICED BY BIDDER)

TA	Daniel Co. 1	TI 6	0	D.B. J. L.	D-P177 ()
Item No	Description of Goods (Attach detailed specification if necessary)	Unit of Measure	Quantity	Delivered Unit Price Kwacha	Delivered Total Price <i>Kwacha</i>
1	 Three sectioned bed complete with three sectioned, impervious covered, 100m deep anti-static mattress. Sturdy construction. Features to include ability to achieve rapid Trendelenberg position; and sitting position. Mattress section to be removable; adjustable bracket to raise to approx 70 degrees. Accessories to include detachable side rails, lock-in lithotomy poles with straps, deep stainless steel swab receptacle positioned on a sliding bracket, IV pole and 4 anti-static locking castors. Approx size 1900mm length x 800 mm width x 800mm high For stability reasons width not to be less than 800 mm. Made from high grade s/s. 	Each	9		
2	Sterilization equipment • Table top 16 to 18 litre capacity	Each	3		
3	Drum sterilizer small, medium and large	Each	36		
4	 Weighing scale. Weighing Scale, Adult, Physician metric Manual/Analog with height measurement; using metric system; range: 0-150 Kg, 1 Kg/50gram scale; Material: Enamel/Chrome plated Die-cast Beam; Height measuring Rod; scale range: 0-200 cm (Seca/ Saulter/ Health-O-meter) 	Each	3		

5	 Instrument set, delivery and suturing Bowl, lotion, sls, 110mmO x 40mm (1); Box, instruments, sls, wI cover, 300x200x50 mm (1) Catheter, urethral, soft rubber, Nelaton, solid tip, 1-eye, funnel end, 10FR, 400mm long (2) Forceps" Kocher, toothed 1x2t, 230 mm (2); Forceps, artery, Spencer Wells, straight, 175mm (2); Forceps, swab holding, Foerster, 200mm (1); Forceps, tissue, 1x2teeth, 0.7mm (2) Gallipot, pIp, 75mm diameter (1); Kidney dish, sls, 825ml (1); Needle holder, Mayo-Hegar, straight, 160mm (1); Needle, suture, curved, cutting, sls, assorted (2); Scissors, episiotomy, Braun-Stadler, 145mm (1); Scissors, Mayo, curved, 150mm (1); Scissors, umbilical, 105mm (1) 	Each	30	
	Simple delivery set 4 towels 2 large forceps 2 scissors- tissue & stitch 2 needle holders short and long Gallipot 1 Mosquito forceps/small artery forceps 4 Kidney dish -2			
6	Screen fourfold with anti-static castors	Each	30	

	castors. Height approx 180cm. Epoxy finish.			
7	Drip Stand • Drip stand, mobile, 4 legs Mobile adjustable height. Stove enameled steel with stainless steel rod. Double hook, on heavy cast base, with three 6cm rubber tired castors.	Each	15	
8	Sphygmomanometer, manual • Sphygmomanometer, mounted on mobile stand with mercurial column, graduated to 300 mm Hg, single tube to arm cuff. Stopcock for Hg-tank complete with velcro arm cuff in basket	Each	9	
9	BP Machine automatic • with screw-valve; velcro cuffs; dial approx 56mm; rugged construction. To be supplied with spare 2 x BP cuffs, 2 x handpumps. Recommended brand Riester.	Each	9	
10	 Weighing scale baby basin type 16Kg Baby, Basin type 16 Kg 10 grams scale Top loading baby scale with instant dial reading, fully automatic with adjustable control mechanism, metric up to 16 kg 10 grams scale Recommended brand: Seca / Saulter 	Each	6	
11	Suction apparatus • two bottle with overflow protector, adjustable pressure, with gauge, piston type pump, with return spring, stable and slip-proof sturdy base foot operated	Each	3	

12	Examination lightLight emergency solar with battery backup	Each	6	
13	Angle poised light	Each	3	
	• Examining Light, angle poise, enamel painted, aluminium, mobile on casters, LED type, up to max of 7W, servicelife of lamp with minimum of 50,000 hours,mobile with 4 to 5 castor wheels, Minimum of 30, 000 lux, adjustable intensity.Power supply: 220-20Vac with an appropriate adaptor to power the LED lamp.To come with the following spares/consummable; LED modules x 3 per lamp)-apply these specs to operating lamp. 220-240Vac ,50 Hz; BS standard hospital grade top plug;			
14	Refrigerator, electrical, 650Litre • Upright, single door, 650Litre	Each	3	
	with adjustable shelves for storage with temperature display, with AvR, 167-250Vac output; time display switch after power outage; dual operation for solar power source.			
15	Timer • Timer, interval, digital, 60min x 1min, with signal	Each	3	
16	Hospital beds adult Bed, Hospital, Adult, complete with mattress Dimension approx. L 1240x W 1000x H 450-720 cm, made of stamping frame, steel mattress base with epoxy, polyester powder coated and baked finished, resistant to chipping and scratching, bed head/foot board made of ABS plastic or equivalent, washable and removable; height adjustable,	Each	30	

	back rest lifting angle 0-80 degree, knee-rest lifting angle, 0-40 degree, supplied with I.V. Rod, collapsible type guard rails cross-over overbed table plate caster wheels, industrial type approx 5" Dia. with brakes., with mattress 4"" thick. The mattress shall meet the following specifications:- Length and width to match the bed size of			
	hospital bed, adult.			
	Thickness 12,5cmMattress should have watertight,			
	urine proof cover.			
	High-density foam filling;			
	minimum density of 30kg/m3.			
17	Examination couch.	Each	6	
	Couch, examination, with			
	stirrups			
	• metal with polyurethane foam			
	covered, 60x200 x45 cm; elevatable back rest with			
	stirrups for foot and hand,			
	Velcro			
18	Glucometer	Each	3	
	Digital, AA size battery-			
	operated, LCD readout. Machine			
	shall come with 100 test strips.			
	Supplied with 5000 micro			
10	Cuvettes	E1	2	
19	Oxygen Concentrator	Each	3	
20	10 litre per minute Pulse Oximeter	Each	3	
20	Composition:-Main unit;	Lacil	3	
	• Composition:-Main unit; standard accessories; finger clip			
	sensor for adults and children;			
	connecting cable:sensor-device.			
	Specification:Large LED or			
	LCD displays; adjstuble pulse			
	tone; acoustical and optical			
	alarms; pulse rate, SpO2;			
	saturation range: approximately			
	0100%; pulse range			

approximately 30 to 254BPM (+/-2, -3); power supply; 220-240 volts, 50Hz, BS standard	
240 volts, 50Hz, BS standard	
hospital grade top plug. Battery	
with internal charger unit;	
battery operating time: minimum	
24 hours. Other conditions: use	
under tropical conditions; spare	
parts and consumable supply	
ability. Installation and end user	
training. Operating instruction	
and service manual included.	
Extra accessories; Two (2)	
finger probes; Two (2) patient	
cables.SAfety parameters: Hi-Lo	
SPO2; Hi-Lo purse Rate; pulse	
strength bar (plethysmograph)	
auto calibration. Standard	
accessories: adult, paediatric,	
neonate sense; probe;	
capnograph; printer recorder,	
spare probes : Note: Training	
required for hospital staff and	
Biomedical	
Engineers/Technicians) 21 Pair of a cheater forceps Pair 6	
21 I all of a cheater forceps	
22 Foetal scope Each 6	
23 Doppler Each 6	
24 Wall Clock Each 3	
25 Thermometers Each 6	
26 Wheel Chair Each 3	
20 wheel Chair Each 3	
27 Stretcher Each 3	
28 Penguin sucker Each 6	
29 Emergency Tray Each 3	
- - - - - - - - - -	
30 Stethoscope Each 6	

Procurement Number: MW-NSDC-418745-GO-FRQ MW-NSDC-418750-GO-RFQ

MW-NSDC-418758-GO-RFQ

31	Vacuum extractor	Each	6		
32	Baby resuscitative	Each	3		
<u>u</u>		1	Sub-Tot	al	
			Add 16.5	5% VAT	
			Add 1%	PPDA Levy	
			TOTAL		

The following attachments are appended to clarify the Description of Goods: [List any attachments providing additional specification of the goods required]

e:
(DD/MM/YY)
:

The Bidder is to complete column c with the technical specification of the item(s) offered and to state whether the offered items "comply" or do "not comply" giving details of the areas of non-compliance.